## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	324	713/160.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 15:44
S1	2986	encrypt\$3 near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 08:15
S2 .	4184	encrypt\$3 near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:16
<b>S</b> 3	324	encrypt\$3 near2 packet same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:16
S4	346	encrypt\$3 near2 packet same (marker identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:16
S5	232	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:43
S6	14	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((internet adj key adj exchange) ike)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 12:19
S7	7	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((internet adj key adj exchange) ike) and ((quality adj2 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:01
S8	0	encrypt\$3 near2 packet same (marker identifier) same (policy policies) and @ad<"20030916" and ((internet adj key adj exchange) ike)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:12

## **EAST Search History**

S9	0	encrypt\$3 near2 packet same (marker identifier) same (service) and @ad<"20030916" and ((internet adj key adj exchange) ike)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:24
S10	7	"2004005061"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:24
S11	2	"20040005061"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:24
S12 <sub>.</sub>	20	@ad<"20030916" and ((internet adj key adj exchange) ike) with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:29
S13	35	@ad<"20030916" and ((internet adj key adj exchange) ike) with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:34
S14	29	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((quality adj2 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/08 09:02
S15	2	encrypt\$3 near2 packet same (marker identifier) same ((quality adj2 service) qos) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:03
S16	29	encrypt\$3 near2 packet same (marker identifier) and ((quality adj2 service) qos) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:02
S17	0	encrypt\$3 near2 packet same (marker identifier) and (((quality adj2 service) qos) same identifer) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:02
S18	0	(((quality adj2 service) qos) same identifer) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:03

## **EAST Search History**

S19	1564	(((quality adj2 service) qos) same (identifier marker) ) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2007/01/08 10:03
S20	1488	( ( (quality adj2 service) qos) same (identifier) ) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:04
S21	698	( ( (quality adj2 service) qos) with (identifier) ) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:04
S22	283	( ( (quality adj2 service) qos) with (identifier) same packet) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:05
S23	1	( ( (quality adj2 service) qos) with (identifier) same packet same encrypt\$3) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:34
S24	19	@ad<"20030916" and encrypt\$3 with (prior before) with (classif\$7 categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:35
S25	22	@ad<"20030916" and encrypt\$3 with (prior before pre) with (classif\$7 categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:36
S26	2	@ad<"20030916" and encrypt\$3 with (prior before pre) with (classif\$7 categoriz\$3) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:37
S27	2	@ad<"20030916" and encrypt\$3 with (prior before pre) with (classif\$7 categoriz\$3 label\$3) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:37
S28	. 6	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((internet adj key adj exchange) ike) and (header same encrypt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 15:44